

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Andree	
Date of Inspection:	8-1-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

Visible Emission Type	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko		
Date of Inspection:	Aug 1, 13		
Shift:	1 st Shift	or	2 nd Shift
	Time: 500		

	Visual Inspection	Comments
	NORMAL or ABNORMAL	
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	M. Tabor
Date of Inspection:	8/4/13
Shift: 1 st Shift or 2 nd Shift	1 st Shift
Time:	5:30 AM

Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
No	—	
No	—	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: *R Long*

Date of Inspection: *8/31/13*

Shift: 1st Shift or 2nd Shift Time:

Visible Emission Type	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	
Visible Emission From Discharge Conveyor System	NOR	

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notifications Per Each Daylight Shift
(Stack SOS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Culpeper	
Date of Inspection:	8-4-2023	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

Visible Emission Type	Visual Inspection	Comments
Visible Emission From Shaker	Normal	-
Visible Emission From Discharge Conveyor System	Normal	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 4, 13	
Shift: <input checked="" type="checkbox"/> 1 st Shift or <input type="checkbox"/> 2 nd Shift	Time:	500

Visible Emission Type	Visual Inspection	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 3, 13	
Shift:	1 st Shift	or 2 nd Shift
	Time: 5:00	

Visible Emission From Shaker	Visual Inspection	Comments	
		NORMAL	ABNORMAL
Visible Emission From Shaker	NOR	-	-
Visible Emission From Discharge Conveyor System	NOR	-	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	J. Smello
Date of Inspection:	Aug 6, 13
Shift: 1 st Shift or 2 nd Shift	Time: 5:00

Visible Emission Type	Visual Inspection	Comments
	NORMAL	
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Cudjoe	
Date of Inspection:	8-7-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	
Visible Emission From Discharge Conveyor System	NIR	

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 7, 13	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00

	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	nOR	-
Visible Emission From Discharge Conveyor System	nOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Adcock	
Date of Inspection:	8-8-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00
Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Discharge Conveyor System	Not	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 8, 13	
Shift:	<input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time: 5:00

Visible Emission Type	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Daren Culpeper	
Date of Inspection:	8-9-2017	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

Visible Emission Type	Visual Inspection	Comments
Visible Emission From Shaker	Nor	-
Visible Emission From Discharge Conveyor System	Nor	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko
Date of Inspection:	Aug 9, 13
Shift: 1 st Shift or 2 nd Shift	Time: 506

	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Ted Compton
Date of Inspection:	8/10/13
Shift: 1 st Shift or 2 nd Shift	Time: 5AM

	Visual Inspection	Comments
	NORMAL or ABNORMAL	
Visible Emission From Shaker	No	
Visible Emission From Discharge Conveyor System	No	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Ted Compton
Date of Inspection:	8/11/13
Shift: 1 st Shift or 2 nd Shift	2 nd Shift
Time:	5 AM

Visible Emission Source	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	_____
Visible Emission From Discharge Conveyor System	Nor	_____

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 16, 13	
Shift:	<input checked="" type="checkbox"/> 1 st Shift or <input type="checkbox"/> 2 nd Shift	Time: 500

Visible Emission Type	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Edgale	
Date of Inspection:	Aug 13, 2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00am

Visible Emission Source	Visual Inspection Normal or Abnormal	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smeiko
Date of Inspection:	Aug 14, 13
Shift: 1 st Shift or 2 nd Shift	Time:

Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- * Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- * Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darron Cofield	
Date of Inspection:	8-15-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	-
Visible Emission From Discharge Conveyor System	Not	-

- * Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- * Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 15, 13	
Shift:	<input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time: 5:00

	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Daren <i>et al.</i>	
Date of Inspection:	8-16-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments	Comments
			Comments
No	No	-	-
No	No	-	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Smelko</i>	Date of Inspection: <i>Aug 16/13</i>	Shift: <i>1st Shift</i> or <i>2nd Shift</i>	Time: <i>500</i>
Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments	
Visible Emission From Discharge Conveyor System	NOR		

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Daren Andjor	
Date of Inspection:	8-18-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

Visible Emission From Shaker	Visual Inspection	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren	
Date of Inspection:	8-18-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	

Emission Source	Visual Inspection	Comments
Visible Emission From Shaker	Nor	-
Visible Emission From Discharge Conveyor System	Nor	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Culpeper	
Date of Inspection:	8-19-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

Visible Emission	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smeltko	
Date of Inspection:	Aug 19, 13	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00
Visible Emission From Shaker	Visual Inspection	Comments
	NORMAL dr ABNORMAL	
Visible Emission From Discharge Conveyor System	NOR	-
	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SSS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko
Date of Inspection:	20 Aug 2013
Shift:	1 st Shift or 2 nd Shift
Time:	5:00

Emission Source	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	
Visible Emission From Discharge Conveyor System	NOR	

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Andjole	
Date of Inspection:	8-22-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

	Visual Inspection	Comments
	NORMAL	
Visible Emission From Shaker	Not	-
Visible Emission From Discharge Conveyor System	Not	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 22, 03	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00
Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
n/a	-	-
Visible Emission From Discharge Conveyor System	Visual Inspection NORMAL or ABNORMAL	Comments
n/a	-	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector:	Stagnos	
Date of Inspection:	8/24/13	
Shift: <input checked="" type="radio"/> 1 st Shift or <input type="radio"/> 2 nd Shift	Time:	00:00

	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	
Visible Emission From Discharge Conveyor System	NOR	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS •4)

VISIBLE EMISSION NOTATIONS

Inspector:	Smeik	
Date of Inspection:	Aug 25, 13	
Shift:	1 st Shift or 2 nd Shift	Time: 500

Visible Emission	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	
Visible Emission From Discharge Conveyor System	NOR	

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smejko
Date of Inspection:	Aug 27, 13
Shift:	1 st Shift or 2 nd Shift
Time:	6:00

Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
nOR	-	-
Visible Emission From Discharge Conveyor System	nOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS #4)

VISIBLE EMISSION NOTATIONS

Inspector:	Daren Endjoe	
Date of Inspection:	8-28-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00

	Visual Inspection	Comments
Visible Emission From Shaker	NORMAL or ABNORMAL	
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Aug 28 13	
Shift: 1 st Shift or 2 nd Shift	Time:	5:00
Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
 (Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Smelld</i>
Date of Inspection:	<i>Aug 29, 13</i>
Shift: 1 st Shift or 2 nd Shift	Time: 5:00

Visible Emission Source	Visual Inspection	Comments
Visible Emission From Shaker	<i>NOR</i>	—
Visible Emission From Discharge Conveyor System	<i>NOR</i>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Daren Adjei	
Date of Inspection:	8-30-2013	
Shift: 1 st Shift or 2 nd Shift	Time:	6:00
Visible Emission From Shaker	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Discharge Conveyor System	Normal	-

- * Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- * Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 2/10/09